



ASTRA

AEROSPACE STANDARD

PROCEDURE

Independent Review and Outcome Decisions

AF-AST-PR-014

FIRST EDITION

30 September 2026 | English master text

Aviation / Space / Defense / Future systems

Publication identity and use

Control	Publication information
Code and title	AF-AST-PR-014 — Independent Review and Outcome Decisions
Edition and publication date	FIRST EDITION 30 September 2026 English master text
Accountable function	Independent Decision Function
Controlling technical basis	AF-AST-STD-001 / AF ASTRA-100:2026; supplied 248-page FIRST EDITION, Clauses 0–80 and Annexes A–AR.
Source fingerprint	fe0f775b3f57e43c7ad6b3d4ab17ac0ff872d3ce8c88fcd9ae9a0116b23209b1
Portfolio	108 retained document codes; F01–F08; 68 retained technical subjects. All-space and verification domains are applicability tags, not additional families.
Publication and operation	Prepared publication. Actual technical approval, consultation, institutional adoption, operational effectivity and individual scope activation require separate authentic records.

Purpose and application

All independent programme outcomes; accreditation panels and other outcome authorities retain their distinct rules. This process cannot supply absent technical evidence by voting.

Source requirements and added implementation detail

The controlling ASTRA source is identified above by content fingerprint. Numbered source clauses and annexes retain their own authority. The retained operating material is restructured and expanded with implementation methods, additional profile controls, worked synthetic examples, decision diagrams and record contracts. Added implementation detail is not presented as an earlier institutional approval or as a change to the supplied core standard. Any additional binding criterion requires the applicable technical adoption process.

The displayed publication date identifies the edition; it is not a fabricated authoring, test, approval or operational date. Actual records retain genuine event times and controlled versions. No named outside organisation or standard is incorporated as a normative reference. AF internal instruments and separate legal or contractual duties remain applicable within their actual scope.

Acceptance boundary

A positive grant requires every applicable mandatory condition to PASS, every N/A to have independent justification, every in-scope nonconformity to be verified closed, and competent independent authority. HOLD, unknown state, missing evidence, a favourable average, a signature image or a completed form cannot substitute for those conditions.

Contents

Publication identity and use	2
Purpose and application	2
Source requirements and added implementation detail	2
Contents	3
1 Scope, trigger and responsibility	5
2 Operating sequence	5
PR-014 — Independent Review and Outcome Decisions	5
3 Completion, holds and handover	6
Decision and authority boundary	6
4 Timing and escalation	6
5 Worked application and failure response	7
E1 Explicit acceptance and evidence contract	8
E2 Source-to-implementation crosswalk	8
E3 Detailed operating extensions	9
AF-AST-PR-014 — Independent Review and Outcome Decisions	9
E4 Application-specific parameter completion	10
P01 — Mission and scope	10
P03 — Requirements and acceptance	10
P07 — Measurement and uncertainty	10
P12 — Human and protective response	10
P14 — Software, AI and models	10
P15 — Security and command authority	10
P18 — Decision, continuity and terminal duties	10
E5 All-space applicability and bounded responsibility	11
E6 Workflow and evidence relationships	12

E7 Calculations, assumptions and synthetic charts	13
AM.Q01 Measurement uncertainty and covariance	14
AM.Q02 Inclusive limits and four distinct measurement outcomes	15
AM.Q03 Positive-decision conjunction and essential failure	15
AM.Q04 Committee arithmetic and accreditation panels	16
E8 Adverse cases and independent replay	18
Appendix A – Controlling source requirements	19
Appendix B – Local adoption, validation and receiving acceptance	22

1 Scope, trigger and responsibility

All independent programme outcomes; accreditation panels and other outcome authorities retain their distinct rules. This process cannot supply absent technical evidence by voting.

Trigger: Evaluation is complete enough for independent review or a grant, renewal, extension or adverse decision is proposed.

Accountable process owner: Independent Decision Function. Actual named appointments and deputies are recorded separately. The process owner coordinates execution; technical review, independent conformity decisions and operational permissions retain their separate mandates.

Input	Output / destination
Actual request or triggering event, scope and current technical basis	A traceable process record linked to its case/object and the required form modules.
Competence, conflict, authority and access evidence	Approved assignment and lawful access before affected work begins.
Original observations, technical results, limitations and prior history	Reasoned accept/hold/escalation decision; preserved adverse evidence and recipient communications.
Controlling clocks and genuine event timestamps	Actual due/completion records in SC-003 and the relevant register; no administrative reset.

2 Operating sequence

PR-014 – Independent Review and Outcome Decisions

Trigger: Evaluation is complete enough for independent review or a grant, renewal, extension or adverse decision is proposed.

1. Confirm the decision mandate

Identify the outcome class, actual authorised issuer and decision function. Verify technical competence and permitted roles. Ensure evaluation, independent review and decision combinations satisfy the core and released profile, including the required three-person accreditation panel.

2. Freeze an accessible dossier

Record the exact application/profile/configuration, evaluation report, witness coverage, evidence manifest, findings, correction and proposed wording. Version-lock the reviewed package. Essential protected records must be accessible through lawful arrangements; an index without the sources is insufficient.

3. Review scope and actual coverage

Check sites, methods, shifts, delivery modes, populations, outsourced work and specialist participation against what was claimed. Compare planned with completed work. An omitted essential observation requires more evaluation or a genuinely limited scope, not a presumed pass.

4. Review evidence validity

Examine method suitability, measurement uncertainty, source authenticity, adverse results, repetitions and limitations of reuse. Confirm that each requirement conclusion matches the actual configuration and period. Reject an unsupported generated explanation or numerical score as a substitute for evidence.

5. Apply every positive gate

A grant, renewal or extension requires valid scope, all criteria fulfilled, adequate evidence, all in-scope nonconformities closed, competent independent authority and the required permissions before associated use. Record each gate independently. A favourable average cannot compensate for one failed gate.

6. Record panel participation and dissent

For accreditation grants, renewals, extensions and contested adverse decisions, all three eligible members participate and at least two support the reasoned result. Votes are not delegated. An unresolved essential technical objection requires competent resolution or hold even when the numerical majority is favourable.

7. Issue the precise reasoned outcome

State grant, refusal, maintenance, restriction, suspension, restoration, renewal, extension, correction or withdrawal as appropriate. Conditions describe a valid boundary and continuing obligations, not deferred mandatory criteria. Record actual decision, issue, effectivity and expiry/instance dates separately.

8. Communicate and instruct publication

Notify the applicant of scope, reasons, duties and remedies. Give the registry custodian the authenticated instruction and exact public wording. Update status within two calendar days, with immediate urgent notices. Preserve the reviewed dossier, votes, dissent and subsequent correction history.

Hold / escalation: Incomplete dossier, an open in-scope finding, inadequate coverage, unresolved essential uncertainty, conflicted decision role or missing required panel participation blocks a positive result.

Record handover: AF-AST-FR-006, AF-AST-FR-012, AF-AST-FR-013, AF-AST-FR-014.

3 Completion, holds and handover

Incomplete dossier, an open in-scope finding, inadequate coverage, unresolved essential uncertainty, conflicted decision role or missing required panel participation blocks a positive result.

Decision and authority boundary

A positive grant, renewal or extension requires valid scope, every applicable criterion fulfilled, sufficient usable evidence, closure of every in-scope nonconformity, current competent independent decision authority and effective required permissions. No score, majority vote, membership status or future corrective promise replaces a missing gate. An operational technical release, a programme outcome and an administrative publication are separate actions.

Required record	Capture responsibility
AF-AST-FR-006	Case conflict and assignment
AF-AST-FR-012	Finding, containment and corrective action
AF-AST-FR-013	Independent review and decision
AF-AST-FR-014	Scope schedule and certificate instruction

The performer hands the actual record to the designated owner or reviewer. The receiving function verifies scope, version, usable evidence, open conditions, original dates and the action it may take. Sending an email, completing a form or setting a database flag is not acceptance of that handover.

4 Timing and escalation

Control / source	Trigger and interval	Required response
Registry status update Core 15.5	Actual status decision Within 2 calendar days	Urgent holder communication does not wait for public update.

Use actual awareness, notification, completion, decision, issue and expiry timestamps with a declared time zone. Days are calendar days unless explicitly stated otherwise. Month intervals end on the corresponding date, or month-end where that date does not exist. Earlier applicable duties prevail. Source: Annex H.

5 Worked application and failure response

Synthetic example: Two of three required panel members participate and both vote yes in a fictional case. The decision is deferred because the panel is invalid. Once three eligible members participate, a positive outcome still requires all technical gates to be met.

Before closure, challenge a missing essential input, an expired or conflicted role, wrong configuration, contradictory evidence and an incomplete receiving handover where applicable. Record expected and actual behaviour. A completed synthetic exercise tests reasoning or workflow only; it cannot replace required technical witnessing.

E1 Explicit acceptance and evidence contract

Apply the following logic to the exact evaluated object and responsible function. A procedural checkpoint, product characteristic, competence decision and public credential are different objects. Their states shall not be collapsed into one score. Source: ASTRA 62.1–62.7 and Annex AL.

State	Sufficient basis	Required next action
PASS	Applicable; current approved predicate met by valid, purpose-specific evidence.	Retain the original evidence and bounded inference. Other mandatory gates still apply.
FAIL	Applicable; valid evidence demonstrates that the approved predicate is not met.	Contain affected use; retain the failure; assess cause, extent and required corrective verification.
HOLD	Applicability, criterion, method, evidence, uncertainty or authority is unresolved.	Resolve the missing basis. Do not manufacture a value, favourable default or product-defect conclusion.
N/A	Activity trigger and retained responsibility are absent; independent exclusion approval exists.	Retain the scope-specific reason and reassess when activity or responsibility changes.
UNSET	Only an uncompleted field in this PDF; not a conformity state.	No conclusion is recorded. Complete review before the field can support a decision.

For a compound source clause, create a child-condition ledger containing every separately testable condition, location, phase and operating mode. A sentence-level checkpoint is a navigation aid, not permission to merge unrelated predicates. Each child receives an ID, responsible owner, criterion, method, source evidence, uncertainty where relevant, current state and independent review. The parent cannot PASS while any mandatory child is FAIL, HOLD or UNSET.

An acceptable measurement interval and an acceptable authority chain are independent prerequisites. Use finite, unit-consistent, unrounded values; negative uncertainty, reversed limits, unknown version or wrong-object evidence produce HOLD. For inclusive [L,H] and accepted interval [a,b], PASS requires $a \geq L$ and $b \leq H$; FAIL requires $b < L$ or $a > H$; otherwise HOLD. Approved one-sided or exclusive boundaries retain their own declared predicate.

Positive-decision conjunction

Every applicable mandatory child is PASS AND each N/A is independently justified AND every in-scope nonconformity is verified closed AND scope, competence, independence and actual authority are valid AND required panel participation and voting rules are satisfied. No average, majority preference or payment supplies missing evidence.

E2 Source-to-implementation crosswalk

The references below use the supplied 248-page FIRST EDITION. Each row retains the original clause identifier and source page. The operating instructions in this document elaborate implementation; they do not replace the full source condition or its applicable annexes. A reference to a whole chapter requires selection of every triggered subclause, not only the examples printed here.

ASTRA ID / page	Source subject	Implementation use
3.4 / 13	Case separation and decision panels	Requirement, objective evidence and local child predicates
15.1 / 26	Review dossier	Requirement, objective evidence and local child predicates
15.2 / 27	Positive-decision gate	Requirement, objective evidence and local child predicates
15.3 / 27	Panel and dissent	Requirement, objective evidence and local child predicates

ASTRA ID / page	Source subject	Implementation use
15.4 / 27	Permitted outcomes and conditions	Requirement, objective evidence and local child predicates
15.5 / 27	Decision date and communication	Requirement, objective evidence and local child predicates
56.3 / 81	Decision and publication safeguards	Requirement, objective evidence and local child predicates
58.4 / 83	Independent review and non-compensable gates	Requirement, objective evidence and local child predicates
62.4 / 88	Four requirement states	Explicit verification and acceptance predicate
62.5 / 89	No compensation or favourable default	Explicit verification and acceptance predicate
62.7 / 89	Decision replay and consistency	Explicit verification and acceptance predicate
77.8 / 119	Independent campaign closure	Explicit verification and acceptance predicate
80.1 / 124	One complete application schedule	Explicit verification and acceptance predicate
80.2 / 124	Domain and verification completeness	Explicit verification and acceptance predicate
80.3 / 124	Competent independent closure	Explicit verification and acceptance predicate
80.4 / 124	Bounded claim and publication	Explicit verification and acceptance predicate

E3 Detailed operating extensions

AF-AST-PR-014 – Independent Review and Outcome Decisions

Implementation basis: 3.4 (p. 13); 15.1 (p. 26); 15.2 (p. 27); 15.3 (p. 27); 62.4 (p. 88); 62.5 (p. 89); 62.7 (p. 89); 77.8 (p. 119); 80.1 (p. 124); 80.2 (p. 124); 80.3 (p. 124); 80.4 (p. 124)

X14.1 Freeze the independent decision dossier

Reconcile exact scope, requirement population, all triggered parameters, evidence versions, configuration, observations, open issues and accountable roles.

Completion / hold: A missing essential source, unresolved configuration or unsupported exclusion keeps the dependent decision on HOLD.

X14.2 Apply the conjunction before the vote

Require all applicable mandatory rows PASS, approved N/A reasons, verified closure, competent independent authority and required panel participation.

Completion / hold: A numerical majority or high score cannot supply absent evidence or waive a mandatory condition.

X14.3 Replay a difficult or disputed conclusion

Use the same inputs, rule, uncertainty and current role authority to reconstruct the state. Identify the exact differing assumption before accepting agreement.

Completion / hold: Unresolved essential dissent results in more work, a real bounded scope or HOLD, never coerced consensus.

X14.4 Publish only the supported outcome

Record genuine decision, issue and expiry/instance, exact class and limitations. Send authenticated instructions to the registry and relevant recipients.

Completion / hold: Public wording and digital status cannot extend the decision or imply operational permission.

Record contract: the actor records the input baseline, actual work, deviations, result and evidence link; the named receiving function acknowledges access and the permitted next action. A returned or incomplete handover retains the original event history. Use the associated FR modules and RG record links; no document or database field confers actual authority.

E4 Application-specific parameter completion

These are required information groups from Annex AO, not pre-approved engineering limits. For every triggered group, populate actual values or observable attributes before evaluation, with unit, inclusivity, phase/mode, technical derivation, uncertainty/dependence, method version, owner, independent review, authentic approval and change trigger. An absent trigger requires an approved exclusion; an unsupported or missing essential value is HOLD.

P01 — Mission and scope

Legal owner, performer, family/module, object, domain, configuration, location, duration and modes.

Derivation and evidence: Scope tuple and mission concept; approved applicability matrix.

Completion test: No undefined essential object, duty, phase or exclusion.

P03 — Requirements and acceptance

Stable ID, owner, characteristic, units, bound inclusivity, predicate, observation and essential-step marker.

Derivation and evidence: Requirement baseline and Annex AL decision rule.

Completion test: Every condition is evaluable before observations are judged.

P07 — Measurement and uncertainty

Measurand, instrument/range, corrections, sensitivity, covariance, coverage, time/space sampling and calibration.

Derivation and evidence: Complete measurement model; valid raw data.

Completion test: Uncertainty and detection capability are fit for the approved decision rule.

P12 — Human and protective response

User/task, representative conditions, essential steps, feasible intervention, health-support interface and emergency resources.

Derivation and evidence: Specialist criteria and observed performance.

Completion test: Every essential protection is effective; no invented universal physiological limit.

P14 — Software, AI and models

Purpose/domain, source/build/weights/data, dependencies, target, errors, uncertainty, prohibited behaviour and change limits.

Derivation and evidence: Independent verification and model/use validation.

Completion test: Essential scenarios and target conditions pass; experimental outputs remain separate.

P15 — Security and command authority

Identities, roles, privileges, keys/trust, target, validity window, command sequence, integrity and interruption response.

Derivation and evidence: Written test authorisation and deployed workflow validation.

Completion test: No prohibited authority or unverified command state is accepted.

P18 — Decision, continuity and terminal duties

Closed findings, reviewer competence, independence, authority, status clocks, final-state criteria, custody and open obligations.

Derivation and evidence: Authenticated decisions and verified terminal/transfer evidence.

Completion test: Every mandatory gate is complete; incomplete or unknown terminal state remains explicit.

E5 All-space applicability and bounded responsibility

The following Annex AK tags are selected because the document can support these responsibilities. Applicability is decided for the actual case. Tags do not expand a family, create an operating permission or place a whole mission inside a supplier's limited scope. Resolve domain, phase, mode, environment and retained duty before accepting a claim.

Domain / source page	Coverage	Required boundary
AK01 / 187 Terrestrial engineering and supply	Design offices, manufacturing, material sources, procurement and integration.	Every delivered characteristic and essential supplier interface is traceable to accepted evidence.
AK02 / 187 Test facilities and technical providers	Environmental, structural, materials, calibration and inspection services, including mobile and remote work.	Actual method competence and valid result evidence are separately demonstrated.
AK03 / 187 Launch sites and spaceports	Site infrastructure, handling, ground services, emergency interfaces and actual permissions.	No site outcome is used as vehicle, launch or mission permission.
AK04 / 187 Launch and deployment interfaces	Vehicle/payload integration, handling, ascent environment, separation and commissioning.	Every required integration and protective condition is met before the actual commitment.
AK05 / 188 Reusable launch and return articles	Cumulative exposure, refurbishment, thermal protection, hidden damage and life decisions.	Reuse is based on actual history and accepted condition, never a reset life.
AK06 / 188 Low Earth orbit systems	Satellites, stations and services in the declared near-Earth operating environment.	Environment-specific qualification and end-of-life capability support the bounded mission.
AK07 / 188 Medium, geosynchronous and high Earth orbits	Navigation, communication, relay and other specified orbit-dependent services.	No lower-orbit or nominal-link evidence automatically covers a different environment.
AK08 / 188 Highly elliptical and transfer regions	Missions crossing materially different exposure, geometry and communication regimes.	Every phase and transition has a supported envelope and verification path.
AK09 / 189 Cislunar and libration-region systems	Lunar vicinity, relays, gateways, transportation interfaces and regional services.	The exact operating domain and service dependencies are technically complete.
AK10 / 189 Constellations and formation services	Distributed functions, inter-satellite links, fleet management and shared ground support.	Distributed performance and independent redundancy assumptions are validated.
AK11 / 189 Orbital traffic and tracking support	Tracking, conjunction information, data services and inter-operator coordination.	A metric is accepted only for its validated data/model scope; missing data are not zero risk.
AK12 / 189 Cooperative docking and servicing	Authorised inspection, connection, transfer, repair and service interventions.	All essential interface and completion states are independently supported.
AK13 / 190 On-orbit assembly and manufacture	Assembly, additive or other production, finishing and output verification in space.	Process execution is not substituted for evidence of required output properties.
AK14 / 190 Stations and inhabited orbital platforms	Habitation, payload integration, visiting vehicles, occupants and support.	Integrated human protection and resources are accepted independently of mission success.
AK15 / 190 Extravehicular and isolated crew work	Individual equipment, user/task, environment, support and rescue dependencies.	Essential individual and integrated protective tasks pass without averaging.

Domain / source page	Coverage	Required boundary
AK16 / 190 Lunar surface systems	Landers, rovers, infrastructure, observation and processing on the Moon.	Destination-specific evidence bounds the actual region, phase and operating mode.
AK17 / 191 Planetary landers and surface vehicles	Surface exploration, scientific instruments, mobility and handling.	Terrestrial analogy is justified; unknown critical surface conditions remain restricted.
AK18 / 191 Atmospheric and buoyant exploration	Planetary atmospheric vehicles, balloons, aircraft and relevant instruments.	All relevant environment-specific structural and functional predicates pass.
AK19 / 191 Small-body and comet operations	Observation, cooperative contact, sampling and resource demonstrations.	Uncertain body/interaction properties are not treated as established terrestrial conditions.
AK20 / 191 Subsurface and ocean-world exploration	Subsurface, liquid, ice and extreme-pressure exploration systems and their interfaces.	Specialist boundary and contamination evidence precedes dependent use.
AK21 / 192 Interplanetary cruise and deep-space missions	Spacecraft, relays, science operations and long-delay mission support.	Human and autonomous actions are feasible within actual timing and resource limits.
AK22 / 192 Solar and heliophysics missions	Solar observations and missions with relevant thermal, plasma and radiation extremes.	Protection and data-quality evidence cover the actual mission envelope, not a screening equation alone.
AK23 / 192 Outer-system and distant observatories	Low-flux, long-life, long-delay science and infrastructure applications.	Required lifetime and survival margins are met with credible continuity and data integrity.
AK24 / 192 Interstellar precursor and future distant systems	Bounded research and demonstrable capabilities for very long-range or novel concepts.	Research promise is not an operational grant; unsupported capability stays in development.
AK25 / 193 Human exploration and surface habitats	Crew transport interfaces, habitation, exploration support and emergency protection.	Every essential human protection and feasibility predicate is supported by specialists.
AK26 / 193 Planetary protection and sample return	Forward/backward contamination, scientific cleanliness, samples and receiving chain.	No dependent commitment precedes complete protection and receiving evidence.
AK27 / 193 Resource utilisation and remote processing	Resource characterisation, processing, quality, storage, use and residues.	Resource yield, product eligibility and permission remain distinct.
AK28 / 193 Space logistics and distributed supply	Warehousing, transfer, spares, custody, condition, receiving and service continuity.	Only physically or otherwise validly confirmed accepted usable inventory supports mission budgets.
AK29 / 194 Specialised energy infrastructure	Generation, storage, conversion, remote delivery and controlled high-hazard power interfaces.	Performance never substitutes for safety, source authority or terminal accountability.
AK30 / 194 Ground, communication and navigation services	Mission control, RF/optical links, timing, data processing, relays and PNT support.	Availability, correctness, authority and completion are separately demonstrated.
AK31 / 194 Digital and autonomous space systems	Software, programmable hardware, AI, models, twins and defensive security.	All essential behaviours and prohibited transitions are verified for the actual deployment.
AK32 / 194 Retirement and long-term stewardship	Disposal, passivation governance, loss-of-contact states, records and residual obligations.	Final-state claims are truthful and every unresolved duty has an accepted owner.

E6 Workflow and evidence relationships





Figure — Implementation sequence for AF-AST-PR-014. Explanatory diagram; the source prerequisites and actual authority remain controlling.



Each relationship carries object identity, controlled version, actual event time and purpose-specific validity.

Figure — Scope-to-custody evidence relationships. A relationship is validated for its decision purpose, not merely because two identifiers exist.

E7 Calculations, assumptions and synthetic charts

The worked calculations below reproduce the supplied standard's Annex AM examples. Charted extensions are newly computed synthetic illustrations of those equations, not measured mission performance or new universal limits. A result is usable only when the actual inputs, model, units, uncertainty and approved application predicate are valid. A successful arithmetic check is not field validation.

AM.Q01 Measurement uncertainty and covariance

Source: ASTRA Annex AM, Q01, page 200. All numerical inputs in this example are synthetic.

$$u_c^2 = \sum (c_i^2 u_i^2) + 2\sum (i < j) (c_i c_j \text{cov}_{ij})$$

$$U = k u_c$$

Variables and units

u_i is a standard uncertainty; c_i is a sensitivity coefficient; cov_{ij} is covariance; k is the justified coverage factor. Variance terms carry squared output units.

Example inputs

Synthetic direct sum: $c_1=c_2=1$; $u_1=0.003$ mm; $u_2=0.004$ mm. First assume independence, then correlation $\rho=0.5$. Illustrative $k=2$.

Calculation and checks

1. Independent variance = $0.003^2 + 0.004^2 = 0.000025$ mm².
2. $u_c = 0.005$ mm; $U = 0.010$ mm for the stated k .
3. Correlated covariance = $0.5 \times 0.003 \times 0.004 = 0.000006$ mm².
4. Correlated variance = $0.000025 + 2 \times 0.000006 = 0.000037$ mm².
5. Correlated $u_c = 0.0060827625303$ mm; $U = 0.0121655250606$ mm.

Decision interpretation: The correlated model produces a larger uncertainty. No PASS/FAIL follows until an approved specification and decision rule are applied.

Validity limits: The linear propagation model requires a valid measurement function and adequate approximation. $k=2$ is not a universal guarantee of 95% coverage. Known bias requires correction or explicitly justified treatment; uncertainty does not conceal missing requirements.

ASTRA connections: 9.4–9.5; Annex G; 62; 77

Standard and expanded uncertainty




Figure Q01 — Synthetic visualisation. The axes and stated scenario define the quantity; no graph is an accreditation score, approved operating envelope or evidence of a real mission.

Local replay record: retain the actual input manifest, source versions, calculation version, unit checks, independent recomputation, expected/observed boundary results, limitations and decision authority. Do not overwrite the teaching inputs as though they were operational data.

AM.Q02 Inclusive limits and four distinct measurement outcomes

Source: ASTRA Annex AM, Q02, page 201. All numerical inputs in this example are synthetic.

PASS: $y - U \geq L$ AND $y + U \leq H$

FAIL: $y + U < L$ OR $y - U > H$

Otherwise: HOLD; invalid evidence also results in HOLD

Variables and units

L and H are inclusive specification limits; y is a corrected result; U is a non-negative expanded uncertainty with stated coverage.

Example inputs

Synthetic specification [49.970, 50.030] mm; U=0.004 mm. Results y=50.024, 50.028, 50.036 and 50.026 mm.

Calculation and checks

1. $50.024 \pm 0.004 \rightarrow [50.020, 50.028]$ mm: PASS.
2. $50.028 \pm 0.004 \rightarrow [50.024, 50.032]$ mm: HOLD, interval overlaps the upper limit.
3. $50.036 \pm 0.004 \rightarrow [50.032, 50.040]$ mm: FAIL, interval entirely above the limit.
4. $50.026 \pm 0.004 \rightarrow [50.022, 50.030]$ mm: PASS; equality is inside the inclusive upper bound.

Decision interpretation: Neither the overlapping interval nor an invalid run is rounded into acceptance. N/A is an applicability decision, not a measurement outcome.

Validity limits: Use actual endpoints for asymmetric intervals. For an upper-only limit, PASS requires the upper endpoint at or below the limit and FAIL the lower endpoint above it. A coverage interval is not automatically a probability that this particular item conforms.

ASTRA connections: Annex G; 62.3–62.5; 77.6

Inclusive full-interval decisions




Figure Q02 — Synthetic visualisation. The axes and stated scenario define the quantity; no graph is an accreditation score, approved operating envelope or evidence of a real mission.

Local replay record: retain the actual input manifest, source versions, calculation version, unit checks, independent recomputation, expected/observed boundary results, limitations and decision authority. Do not overwrite the teaching inputs as though they were operational data.

AM.Q03 Positive-decision conjunction and essential failure

Source: ASTRA Annex AM, Q03, page 202. All numerical inputs in this example are synthetic.

$G = S \wedge P \wedge E \wedge F \wedge C \wedge I \wedge A$

Requirement completion = completed applicable rows / all applicable rows

Variables and units

S=valid scope; P=all predicates passed; E=adequate valid evidence; F=all in-scope findings closed; C=competence; I=independence; A=actual authority.

Example inputs

A synthetic file has 200 applicable rows; 190 are complete. One remaining row concerns an essential protective control. Six other gate groups are true.

Calculation and checks

1. Completion = $190/200 = 0.95 = 95\%$.
2. The unverified essential row makes P false and E false for the requested conclusion.
3. $G = \text{true false false} \dots = \text{false}$.

Decision interpretation: No positive grant. The completion percentage is a planning measure only. A conditional development permission is a separate bounded action, not a conformity certificate.

Validity limits: No averaging, vote or commercial action can change a false mandatory gate. N/A requires independent approval of the absent trigger; it is not a way to remove unfinished work.

ASTRA connections: 15.2; Annex G.1; 62.5; 80

Completion is not the grant decision




Figure Q03 – Synthetic visualisation. The axes and stated scenario define the quantity; no graph is an accreditation score, approved operating envelope or evidence of a real mission.

Local replay record: retain the actual input manifest, source versions, calculation version, unit checks, independent recomputation, expected/observed boundary results, limitations and decision authority. Do not overwrite the teaching inputs as though they were operational data.

AM.Q04 Committee arithmetic and accreditation panels

Source: ASTRA Annex AM, Q04, page 203. All numerical inputs in this example are synthetic.

Substantive participation minimum = $\text{ceil}(2N/3)$

Affirmative minimum = $\text{ceil}(2V/3)$

Variables and units

N is the eligible committee population; V is the number of substantive yes/no votes. These equations concern the technical committee, not an applicant panel.

Example inputs

Synthetic committee: N=9, V=6, yes=4, no=2. Separate accreditation panel: three eligible members, two affirmative and one adverse.

Calculation and checks

1. Participation: $\text{ceil}(2 \times 9 / 3) = 6$; actual V=6 meets it.
2. Affirmative: $\text{ceil}(2 \times 6 / 3) = 4$; actual yes=4 meets it.
3. Accreditation panel: all three must participate; at least two support and all technical gates must pass.
4. Two participating panel members voting yes do not form a valid three-person panel.

Decision interpretation: The committee arithmetic passes for the stated case. The separate panel can decide positively only if technical gates and eligibility are all established.

Validity limits: Abstentions are not substantive committee yes/no votes. Rounding is upward. A mathematical majority never resolves missing technical evidence or an ineligible member.

ASTRA connections: 3.4; 4.3; 15.3; Annex B

Committee participation threshold




Figure Q04 – Synthetic visualisation. The axes and stated scenario define the quantity; no graph is an accreditation score, approved operating envelope or evidence of a real mission.

Local replay record: retain the actual input manifest, source versions, calculation version, unit checks, independent recomputation, expected/observed boundary results, limitations and decision authority. Do not overwrite the teaching inputs as though they were operational data.

E8 Adverse cases and independent replay

Challenge	Expected handling	Evidence retained
PR-014: Freeze the independent decision dossier — required basis missing	A missing essential source, unresolved configuration or unsupported exclusion keeps the dependent decision on HOLD.	Original input, unresolved value, affected requirement and scope; named action owner.
PR-014: Publish only the supported outcome — handover or review incomplete	Public wording and digital status cannot extend the decision or imply operational permission.	Expected and observed state; independent replay; correction/retest; receiving acknowledgement.

Before local reliance, also select every relevant AP01–AP48 challenge in the core. Keep fictional tests isolated from live credentials, commands and recipients. For each test define the requirement, precondition, expected response, execution steps, actual observations, evidence, defect consequence, correction, retest and acceptance. This publication supplies test designs and examples, not completed local validation records.

Appendix A – Controlling source requirements

The following text is reproduced from the supplied ASTRA FIRST EDITION. The clause identifier and page refer to that 248-page source. These excerpts and their evidence fields must be read with all triggered normative annexes. Newly authored implementation steps elsewhere in this document do not amend the core standard.

3.4 – Case separation and decision panels

Source: AF-AST-STD-001, page 13.

Evaluation, independent review, decision and appeal shall be assigned through explicit role checks. Final accreditation grants, renewals, extensions and contested adverse decisions shall use three independent authorised panel members: all three participate and at least two support the reasoned outcome, with every mandatory technical gate met. A technical reviewer may serve on that panel only when independent of evaluation and separately authorised. Other outcome classes use the independent authority specified in the released profile. A majority vote cannot resolve missing essential technical evidence by preference.

Required evidence: Assignment matrix; independent review; three-person participation and votes; gate record.

15.1 – Review dossier

Source: AF-AST-STD-001, page 26.

The independent reviewer shall examine the exact scope and profile, lawful authority, assessor competence, conflicts, coverage, method validity, evidence, uncertainty, findings, corrections, limitations and proposed claim. All essential records shall be accessible through authorised means. Return incomplete or inconsistent files for correction rather than infer missing results. Evidence reuse shall remain traceable to its original scope and limitations. The reviewed dossier shall be versioned so that the decision can later be reconstructed.

Required evidence: Independent review checklist; versioned dossier; unresolved issues and returned files.

15.2 – Positive-decision gate

Source: AF-AST-STD-001, page 27.

A positive grant, renewal or extension requires valid scope, all applicable criteria fulfilled, adequate evidence, closed in-scope nonconformities, sufficient independent competence and actual authority. Required operating and mark permissions shall be effective before the associated claim is used. This is a conjunction of conditions, not a weighted score. A genuinely bounded unaffected scope may be granted only after independent evaluation; it shall not conceal a systemic deficiency or imply success in the refused scope.

Required evidence: Completed gate; exact granted/refused boundary; authority and permission checks.

15.3 – Panel and dissent

Source: AF-AST-STD-001, page 27.

Apply the three-member accreditation panel rule in Clause 3.4. Members shall receive adequate records and competent technical support and shall not delegate votes. Record attendance, conflicts, affirmative/adverse votes, abstentions, reasons and technical dissent. A two-to-one outcome is possible only when every mandatory gate is substantiated; unresolved essential technical uncertainty requires hold or further work. The chair has no casting vote that can replace absent technical evidence or an ineligible member.

Required evidence: Panel record; all-member participation; technical dissent resolution; actual decision.

15.4 – Permitted outcomes and conditions

Source: AF-AST-STD-001, page 27.

Decisions may grant, refuse, maintain, restrict, suspend, restore, renew, extend, correct or withdraw a stated result. Conditions attached to a valid outcome shall define its actual operating boundary and continuing obligations, not postpone unmet mandatory criteria. Pre-assessment, applicant and pilot status are not provisional conformity certificates. A lawful product concession remains an explicitly bounded technical disposition and does not waive the requirements for an ASTRA attestation.

Required evidence: Reasoned outcome; bounded conditions; applicant notice; separated concession record.

15.5 – Decision date and communication

Source: AF-AST-STD-001, page 27.

Record the actual decision date, issue date, effectivity, expiry or instance boundary, criteria version, responsible issuer and signatory. Notify the applicant of reasons, scope, continuing duties and remedy route. Public status shall match the decision and be updated within two calendar days of a status change, while urgent holder notice is immediate. An invoice date, ceremonial date, signature-image insertion or document reprint shall not become a fictitious conformity date.

Required evidence: Authenticated decision; notice; issue/expiry fields; timely registry instruction.

56.3 – Decision and publication safeguards

Source: AF-AST-STD-001, page 81.

The workflow shall test valid scope, complete evidence, fulfilled criteria, closed findings, current competence, case independence and actual authority before publishing a positive outcome. Where a three-person panel is required, all eligible participation and votes shall be recorded. An automated check may flag or block a proposed instruction but shall not create the independent technical decision. Public information shall match the authorised decision and preserve restrictions, expiry and historical gaps.

Required evidence: Decision preflight; authentic decision instrument; panel record where required; public/private reconciliation.

58.4 – Independent review and non-compensable gates

Source: AF-AST-STD-001, page 83.

The decision dossier shall reconcile scope, authority, competence, independence, coverage, method validity, evidence, uncertainty, findings and claims. Positive grant, renewal or extension requires every applicable gate, including closure of all in-scope nonconformities. A favourable total score, environmental achievement or majority vote shall not supply missing technical evidence. Evaluation and final decision shall remain appropriately separated. The actual decision date shall not be replaced by a ceremony, invoice or file-generation date.

Required evidence: Versioned independent-review dossier; gate conjunction; panel participation; actual reasoned decision and claim.

62.4 – Four requirement states

Source: AF-AST-STD-001, page 88.

A requirement state shall be PASS, FAIL, HOLD or N/A. PASS means the approved predicate is satisfied by valid evidence. FAIL means valid evidence demonstrates that the predicate is not satisfied. HOLD means applicability, method, evidence, uncertainty or authority is not sufficiently resolved. N/A means the trigger and retained responsibility are absent and independent approval of that exclusion is recorded. Missing equipment, budget, access or time shall not justify N/A.

Verification: Execute the truth table in Annex AL using actual scope and evidence.

Acceptance / hold rule: Exactly one current state is assigned with reason and traceable evidence. All earlier states are retained.

62.5 – No compensation or favourable default

Source: AF-AST-STD-001, page 89.

A positive conformity decision shall require PASS for every applicable mandatory requirement, closure of every in-scope nonconformity, valid independent competence and actual authority. N/A rows shall have approved reasons; HOLD and FAIL rows shall not contribute a favourable default. Weighted scores, averages, majority votes, programme membership or good results in another discipline shall not compensate for an unmet condition.

Verification: Reconcile the complete requirement population with the decision dossier; test missing and negative cases.

Acceptance / hold rule: The Boolean conjunction in Annex AL is true. Otherwise no positive grant, renewal or extension is permitted.

62.7 – Decision replay and consistency

Source: AF-AST-STD-001, page 89.

A decision shall be reproducible from the same frozen requirements, parameter values, original evidence, calculation version, uncertainty model and role assignments. Two competent reviewers reaching different results shall identify the differing input, predicate, assumption or expertise before closure. Interpretation records may clarify a term but shall not change limits after results are known. Equation inputs shall retain unrounded values.

Verification: Independently replay a selected boundary case and reconcile every difference.

Acceptance / hold rule: The replay produces the same supported state, or the case remains HOLD pending a controlled technical resolution.

77.8 – Independent campaign closure

Source: AF-AST-STD-001, page 119.

The final dossier shall reconcile configuration, criteria, valid results, adverse evidence, untested characteristics, uncertainty, concessions and open duties. Qualification, article acceptance, laboratory competence and ASTRA conformity shall retain separate decisions. A technical concession shall not be relabelled as fulfilment of the original criterion.

Verification: Perform independent requirement-by-requirement closure with actual decision authority.

Acceptance / hold rule: Every applicable gate for the exact claimed object passes; counts, percentages or programme completion dates alone cannot release the object.

80.1 – One complete application schedule

Source: AF-AST-STD-001, page 124.

The schedule shall join the object tuple, F01–F08 selection, Annex AK domains, phase/mode matrix, required methods, parameter records, competence, evidence, independent decisions and continuing controls. All triggers in Annex AO shall be resolved. Shared records may be reused after relevance review, but shall not merge distinct objects, outcome classes or actual authority.

Verification: Reconcile the full schedule with Clauses 1, 4, 62 and 63 and Annex C.

Acceptance / hold rule: No essential scope, parameter, responsibility or evidence field remains undefined before a positive decision.

80.2 – Domain and verification completeness

Source: AF-AST-STD-001, page 124.

Map every applicable domain and requirement to valid verification and to an accountable conclusion. Treat domain counts, test counts and completed checklist percentages as planning measures only. Annex T is not exhaustive of all future methods; a newly discovered material mechanism shall create a controlled additional requirement and evidence task before the affected claim proceeds.

Verification: Perform forward and reverse traceability and inspect omitted-domain reasons.

Acceptance / hold rule: Every applicable condition passes or has a justified approved N/A; no HOLD or FAIL is hidden by a coverage percentage.

80.3 – Competent independent closure

Source: AF-AST-STD-001, page 124.

The independent reviewer shall have verified technical coverage, lawful evidence access and no prohibited case relationship. Technical dissent shall be resolved by evidence, corrected scope or further work. Where a three-person panel is required, all three eligible members shall participate and the established vote rule shall apply only after the technical gates are satisfied.

Verification: Check competence, conflict, access, panel and reasoned decision records.

Acceptance / hold rule: Both the technical conjunction and applicable authority/panel rules pass; a vote cannot cure absent evidence.

80.4 – Bounded claim and publication

Source: AF-AST-STD-001, page 124.

The outcome shall identify legal holder, issuer, object, configuration, family/module, domain, site or remote responsibility, criteria, limitations, actual dates and ongoing or instance basis. Public wording shall not imply unrestricted coverage of all space, universal safety, statutory permission or external recognition without evidence. The approved cover and edition label do not change those boundaries.

Verification: Compare the actual decision with credential, registry and all proposed public representations.

Acceptance / hold rule: Published scope and status exactly match the authorised decision and preserve every material restriction.

Appendix B — Local adoption, validation and receiving acceptance

Gate	Required evidence	Outcome when incomplete
Authority and identity	Actual operator, scoped mandate, permissible result class, named owner, independent decision and remedy functions.	No live scope release.
Requirement population	All applicable clauses and annexes mapped to child conditions, with reasons and independent approval for exclusions.	HOLD the affected conclusion.
Parameters and methods	Prospective values/attributes; technical basis; valid methods; representativeness; calibration, uncertainty and approved predicates.	No dependent acceptance.
People and evidence	Current demonstrated competence; conflict clearance; original usable source evidence; actual configuration and event times.	Reassign or obtain sufficient evidence.
Local tools and tests	Actual deployment tested with positive, boundary, missing, invalid and prohibited inputs; original failed cases retested.	No consequential reliance on unaccepted tools.
Independent closure	Every mandatory requirement PASS, approved N/A, all in-scope nonconformities verified closed, panel rules where required.	No grant, renewal or extension.
Claims and continuity	Decision-linked scope/status; source history; genuine custody, receiving access, retention, urgent notices and terminal duties.	Restrict publication or transfer until resolved.

Record authentic approval and activation in AF-AST-FR-001 and AF-AST-SC-004 or an equivalent controlled record. The edition label is not an effective date for a particular case. Preserve historical decisions under their actual controlling basis; a newer document does not retroactively create missing competence or evidence. Source: Clauses 4, 31, 61, 62 and 80; Annexes P and AR.

PDF recording limits: text fields may scroll beyond their visible area. A printed or flattened copy shall include controlled continuations whenever the full response is not visible. A typed name is not a certificate-based authenticated signature. An actual signed instrument or authenticated workflow shall establish approval. Record custody and privacy are implemented by the receiving organisation, not by this PDF alone.